
		242	.From wood
Thia Cla	ss 585 is considered to be an	250	
		250	ADDING HYDROGEN TO UNSATURATED BOND OF HYDROCARBON, I.E.,
integral part of Class 260 (see the Class 260 schedule for the position of this			HYDROGENATION
	schedule hierarchy). This Class	251	.With subsequent diverse
	all pertinent definitions and	251	conversion
	nes of Class 260.	252	Dehydrogenation
		252	Isomerization
		253	
		234	conversion
1	DDODUGE DI END. E. G. GOVDOGIETON	255	Polymerization of olefins only
1	PRODUCT BLEND, E.G., COMPOSITION,	256	Molecular weight reduction
	ETC., OR BLENDING PROCESS PER	257	_
2	SE	257	.By hydrogen transfer from other
2	.With nonhydrocarbon additive	258	hydrocarbon
3	O containing	<b>258</b>	.Hydrocarbon is contaminant in
4	And N containing	250	desired hydrocarbon
5	Additive(s) aromatic	259	Hydrogenation of diolefin or
6	.Gaseous blend	0.60	triple bond
6.3	.Fluent dielectric	260	Using catalyst or support of
6.6	Mineral oil-containing		defined structure, surface
7	.Component of indefinite	0.61	area, or pore size
	molecular weight greater than	261	Using catalyst and additional
	150	0.50	nonmetal material
8	Reaction product of halogenated	262	Using S or Group I or II
	hydrocarbon		transition metal-containing
9	Wax		catalyst
10	Polymer	263	.With temperature or
11	Containing aromatic ring		concentration gradient in
12	Plural polymers or copolymer		reactor or specified provision
	of specified olefins		for heating, cooling, or
13	Mineral oil (petroleum)	0.5.4	reactor control
	fraction	264	.With preliminary treatment of
14	.For fuel use only		feed or plural separation
15	HYDRATE OR PRODUCTION THEREOF	065	procedures
16	COMPOUND OR REACTION PRODUCT	265	.Plural hydrogenation stages
	MIXTURE	266	.Hydrocarbon is aromatic
17	.Polymer of indefinite molecular	267	Using alkaline metal material
	weight	268	To produce polycyclic
18	Acyclic	269	Using Group VIII metal-
19	Containing aromatic ring		containing catalyst with
20	.Alicyclic		additional nonhydrocarbon
21	Polycyclo, i.e., fused	0.00	agent
22	Of differing carbon content,	270	Co, Fe, or Ni
	more than three or with bridge	271	.Partial
23	Unsaturated ring	272	Hydrogen supplied by water or
24	.Aromatic		alcohol
25	Plural rings	273	Using Group VIII metal-
26	Polycyclo, i.e., fused		containing catalyst
27	Of differing carbon content	274	Co, Fe, or Ni
	or with bridge	275	.Using transition metal-
240	PRODUCTION OF HYDROCARBON MIXTURE		containing catalyst
	FROM REFUSE OR VEGETATION	276	Elemental Co, Fe, or Ni
241	From synthetic resin or rubber		
	"TTO" DATICITE TERTIL OF TANDET		

0.7.7		250	
277	Group VIII metal with	352	.Adamantane or derivative
	additional nonhydrocarbon	353	.By shift, opening, or removal of
	agent or complexed with	0-4	shared-carbon ring
300	hydrocarbon PLURAL PARALLEL SYNTHESES	354	Cyclopentadiene from its
301	= =-	255	polymer
301	.Using same catalyst, solvent,	355	Camphene or ten-C monocyclic
	inert heat carrier, or		from polycyclic, e.g., terpene
302	component thereof	256	isomerization, etc.
302	.With blending of products from	356	Camphene from pinene or
202	two parallel reactions		derivative
303	And passage to further reaction	357	.From nonhydrocarbon
304	.Diverse parallel syntheses	358	Nonring moiety becomes ring
310	PLURAL SERIAL DIVERSE SYNTHESES	359	Halogen containing
311	.One synthesis rehabilitates	360	.Polycyclic product
	catalyst for other, e.g., by	361	By condensation, e.g., Diels-
	alkylation with ester, etc.		Alder reaction, etc.
312	.Same catalyst, solvent, or	362	Dimerizing a cycloolefin
	component thereof used in both	363	By double-bond shift in side-
	syntheses		chain
313	Entire catalyst composition	364	.By condensive ring expansion,
314	.With hydrocarbon effluent stream		e.g., "olefin dismutation",
	splitting for recycle to		etc.
	different syntheses	365	.From nonring hydrocarbon
315	.With hydrocarbon recycle from	366	Alkadiene
	later to earlier synthesis	367	Using refractory-group metal-
316	Earlier synthesis is		containing catalyst
	condensation or alkyl transfer	368	With nonmetal element or
317	.To produce alicyclic		compound
318	Having unsaturated ring	369	Using Co-, Fe-, or Ni-
319	.To produce aromatic		containing catalyst
320	Polycyclic	370	With nonmetal organic
321	Having plural side-chains		compound
322	Including an aromatization step	371	.By ring expansion or contraction
323	Including an alkylation step	372	Using Al group metal halide
324	.To produce unsaturate		catalyst
325	Having triple bond	373	With added hydrocarbon complex
326	Polyolefin	373	or nonhydrocarbon organic
327	From O compound feed or		agent
	intermediate	374	Using metal-containing catalyst
328	Including displacement from	375	.By alkylation or alkyl transfer
320	nonhydrocarbon by entire	376	Feed has side-chain
	hydrocarbon molecule, e.g.,	377	.Feed has side-chain .By double-bond shift
	growth reaction, etc.	377	
329	Including polymerization of	3/0	Using organometallic compound,
323	olefin	270	P- or S-containing catalyst
330	And a preliminary unsaturation	379	.By dehydrogenation
330	step, e.g., cracking,	380	Using H acceptor
	dehydrogenation, etc.	400	AROMATIC COMPOUND SYNTHESIS
331	.Including alkylation to produce	401	.With measuring, sensing,
331	branched-chain paraffin		testing, or synthesis
222	_		operation control responsive
332	And preliminary isomerization	4.5.5	to diverse condition
250	or polymerization	402	.Exploiting or conserving heat of
350	ALICYCLIC COMPOUND SYNTHESIS		quenching, reaction, or
351	.Carotene or derivative		regeneration

403	.Using apparatus of recited composition	429	Through residue of nonring molecule, e.g., butadience,
404	.By ring expansion or contraction		etc.
405	Using transition metal-	430	.From alicyclic
	containing catalyst	431	Polycyclic product or with
406	.By dimerization of vinyl		olefinic unsaturation in feed
	aromatic	432	Cymene product
407	.By ring formation from nonring	433	Using H acceptor or Cr-, Mo-,
	moiety, e.g., aromatization,		or W-containing catalyst
	etc.	434	Using noble metal catalyst
408	Nonhydrocarbon feed	435	.Having alkenyl moiety, e.g.,
409	Aromatic or carbonyl-		styrene, etc.
	containing reactant	436	Polycyclic product or from
410	Aromatic feed		nonhydrocarbon feed
411	Using metal-containing	437	0-containing feed
	catalyst	438	By condensation using metal-
412	Plural stage, with moving		containing catalyst
	catalyst or with specified	439	By C removal, e.g., cracking,
	flow rate or procedure		etc.
413	With preliminary treatment of	440	By dehydrogenation
	feed or plural separation	441	Plural stage or with plural
	procedures		separation procedures
414	Using metal-free H acceptor	442	Using halogen or S
415	Product compound has more C	443	Using elemental O
	atoms than feed compound,	444	Using metal oxide, sulfide, or
	e.g., cyclic polymerization,		salt
	etc.	445	Cr-, Mo-, or W-containing
416	Triple bond-containing feed	446	.By condensation of entire
417	Using transition metal-		molecules or entire
	containing catalyst		hydrocarbyl moieties thereof,
418	Using transition metal-		e.g., alkylation, etc.
	containing catalyst	447	With specified flow rate
419	Group VIII noble metal		through reactor or flow
420	Group VI metal		procedure within or at
421	With alkaline metal compound		entrance to reactor
422	.By condensation of entire cyclic	448	With preliminary treatment of
	molecules or entire		feed
	hydrocarbyl moieties thereof,	449	Plural alkylation stages
	e.g., polymerization, etc.	450	With plural separation
423	With plural separation		procedures
	procedures	451	Including dissolving or solids
424	Plural stage or with		formation or separation
	preliminary treatment of feed	452	Attachment to side-chain, e.g.,
425	Ring carbon of one molecule		telomerization, etc.
	joined to ring carbon of other	453	Resulting side-chain has less
426	Through residue of nonring		than four C atoms
	molecule, e.g., acetylene,	454	Feed other than hydrocarbon,
405	etc.		hydroxy, monohalide, or ether
427	Arylene bond formed using	455	Resulting side-chain restricted
400	metal-containing agent		to more than five C atoms,
428	Nonring moiety of one molecule		e.g., "detergent alkylate",
	bonded to nonring moiety of	456	etc.
	other, e.g., polystyrene, etc.	456	Using halogen-containing
			catalyst

457	Using organometallic compound	488	And H
	catalyst	489	Transition metal-containing
458	Using S-containing catalyst		catalyst
459	Using Al halide catalyst	500	UNSATURATED COMPOUND SYNTHESIS
460	And additional metal- containing or nonhalide inorganic agent	501	.With measuring, sensing, testing, or synthesis operation control responsive
461	<pre>Complexed, e.g., sludge, etc.,   or with additional extraneous   organic agent</pre>	502	to diverse condition  .By addition of entire  unsaturated molecules, e.g.,
462	Using halogen-containing catalyst	503	<pre>polymerization, etcWith heat conservation or using</pre>
463	Alumina containing		apparatus of recited
464	HF		composition
465	B trifluoride in a complex or with additional nonhydrocarbon	504	With specified procedure for recycle of nonhydrocarbon
	agent	505	Triple-bond product
466	Using P-containing catalyst	506	Poly-double-bond product
467 468	<ul><li>Using metal, metal oxide, or hydroxide catalyst</li><li>Noncrystalline, and containing</li></ul>	507	<pre>More than two double bonds,    e.g., diene polymerization,    etc.</pre>
100	Al and Si	508	Of definite molecular weight,
469	.From nonhydrocarbon feed	300	e.g., dimer, etc.
470	.By alkyl or aryl transfer	509	Using P-containing catalyst
1,0	between molecules, e.g., disproportionation, etc.	510	Definite molecular weight product, e.g., dimer, etc.
471	Product is polycyclic, of increased side-chain length, or a specific position polyalkyl benzene isomer	511	Using catalyst containing metal bonded to or complexed with C, C-containing compound, or H
472	Using Al or B halide catalyst	512	Al-and transition metal-
473	Meta- or 1,3,5-alkyl benzene	312	containing
474	Plural compounds of different	513	And N-, P-, or S-containing
1/1	weight become midweight	514	Using P-containing catalyst
	compound, i.e., averaging	515	Using S-containing catalyst
475	Using crystalline aluminosilicate catalyst	516	Using alkali metal-containing catalyst
476	.By ring opening, removal, degradation, or shift on chain	517	Plural serial polymerization stages
	or other ring	518	With preliminary treatment of
477	.By isomerization	310	feed
478	With plural separation steps	519	Removal of hydrocarbon
479	Including a crystallization	520	fraction
480	stepUsing metal oxide- or sulfide-	520	<pre>Using extraneous nonhydrocarbon agent, e.g., catalyst, etc.</pre>
	containing catalyst	521	Hydride or organic compound or
481	Crystalline aluminosilicate		complex containing alkaline-,
482	Pt-group metal containing	F 0 0	B-, or Zn group material
483	.By dealkylation	522	Al trialkyl
484	Polycyclic	523	Transition metal-containing
485	Using catalyst and H	524	Ti
486	Using extraneous agent in	525	B-containing catalyst
	reaction zone, e.g., catalyst,	526	S-containing catalyst
407	etc.	527	N- or P-containing catalyst
487	And steam	528	Metal phosphate

529	P compound on solid carrier,	619	Halogen is I only
	e.g., "solid phosphoric acid",	620	Halogen is Cl only
	etc.	621	Elemental O acceptor
530	Catalyst containing inorganic	622	With P containing extraneous
	metal		agent
531	Group VIII metal	623	Sn-containing
532	Al	624	$\ldots$ .With metal oxide or
533	Al oxide, e.g.,		hydroxide extraneous agent
	aluminosilicate, etc.	625	Ferrite
534	.Triple-bond product	626	Oxide of As, Bi, or Sb
535	With heat conservation or using	627	Using extraneous
	solid inert heat carrier,		nonhydrocarbon agent, e.g.,
	e.g., regenerative furnace,		catalyst, etc.
	etc.	628	Moving catalyst or plural
536	With carrier movement through		stage
	reaction zone	629	Transition metal oxide or
537	Using apparatus of recited		sulfide agent
	composition	630	Cr, Mo, or W
538	From organic nontriple-bond	631	With other transition metal
	feed	632	Metal salt agent
539	By thermal conversion of	633	Plural stage or with specified
	hydrocarbon, i.e., thermolysis		quench or separation procedure
540	By partial combustion of	634	.With heat conservation or using
	hydrocarbon		solid or molten inert heat
541	Using extraneous nonreactant,		carrier, e.g., regenerative
	e.g., diluent, catalyst, etc.		furnace, etc.
600	.Product having more than two	635	With carrier movement through
	double bonds		reaction zone or use in
601	.Diolefin product		quenching
602	With heat conservation or using	636	.Using apparatus of recited
	solid inert heat carrier,		composition
	e.g., regenerative furnace,	637	.By displacement of hydrocarbon
	etc.		radical by hydrocarbon
603	From nonhydrocarbon feed		molecule
604	Heterocyclic	638	.From nonhydrocarbon feed
605	Using P-containing catalyst	639	Alcohol, ester, or ether
606	O-containing	640	Using metal oxide catalyst
607	Plural O-containing organic	641	Halogen-containing
	compounds	642	Using acid, metal oxide, or
608	With unsaturated hydrocarbon		salt catalyst
	in feed	643	.By alkyl transfer, e.g.,
609	Alcohol		disproportionation, etc.
610	Diol	644	Plural stage or averaging
611	Using P-containing catalyst	645	Using organic extraneous agent
612	Halogen-containing feed using	646	Using catalyst containing Mo,
	extraneous nonhydrocarbon		Re, or W and another
	agent		transition metal
613	By C content reduction, e.g.,	647	Using Re-containing catalyst
	cracking, etc.	648	.By C content reduction, e.g.,
614	Isoprene product per se		cracking, etc.
615	Butadiene product per se	649	Isobutylene product per se
616	By dehydrogenation	650	Ethylene product per se
617	Using nonhydrocarbon acceptor	651	Using catalyst
618	Halogen-containing acceptor	652	Using O (partial combustion)
	with elemental O		or steam



732	O-containing	808	Agent contains N, carbonyl,
733	.From nonhydrocarbon feed		or dihydroxy moiety
734	.By isomerization	809	To recover unsaturate
735	Using temperature gradient or	810	Diolefin
	material concentration gradient or introduction of	811	Including treatment with S- containing agent
	same material at more than two serially spaced points of reaction zone system	812	.By cooling of liquid to obtain solid, e.g., crystallization, etc.
736	Plural isomerization stages	813	Using specified holding time or
737	With preliminary treatment of	010	specified cooling rate
	paraffin feed	814	With treatment of mother liquor
738	With specified isomerizate	0 = 1	after crystal separation
	purification or separation procedure	815	With dissolving or plural serial crystallizations
739	Using aluminosilicate catalyst	816	With addition of extraneous
740	Using B- or P-containing		material
T 41	catalyst	817	Before crystal formation
741	Using Al halide catalyst	818	.By membrane, selective septum,
742	With additional metal halide		or coalescer
743	With S-containing or free or	819	Aromatic permeate
	organic halogen agent	820	.By contact with solid sorbent
744	With metal oxide or elemental	821	With measuring, sensing,
	carbon, e.g., supported, etc.		testing, or recycle of sorbate
745	With added organic agent or in		to same sorption zone
	complex with organic material	822	Plural serial sorptions
746	With inorganic material other	823	Sorbate is nonhydrocarbon or
	than halogen-containing		chemically undetermined
747	Using halogen-containing catalyst		<pre>component, e.g., "color- former", etc.</pre>
748	With alumina	824	O-containing sorbate
749	F	825	With fractional or linear
750	Using metal oxide or hydroxide catalyst		<pre>desorption, e.g., chromatography, etc.</pre>
751	Including free metal	826	With specified sorbent
752	<pre>.By C content reduction, e.g., hydrocracking, etc.</pre>		rehabilitation procedure or agent, e.g., desorbent, etc.
800	PURIFICATION, SEPARATION, OR	827	Cyclic sorbate
	RECOVERY	828	Aromatic separated from other
801	.By conversion of solid to gas,		aromatic
	e.g., sublimation, etc., or by	829	Unsaturated sorbate
	melting or squeezing out	830	Sorbent is or contains organic
	liquid from solid natural	831	Cyclic sorbate
	source	832	.Polymerization and
802	.By plural serial diverse		depolymerization
	separations	833	.By addition of extraneous agent,
803	To recover alicyclic		e.g., solvent, etc.
804	To recover aromatic	834	With contact procedure
805	Xylene or ethylbenzene		involving particular apparatus
806	Having unsaturated or one-C		or more than two moving
	side-chain		streams
807	Including steps of	835	With fractional disengagement
	distillation and agent		from agent by use of other
	addition		agent

836	Different, sequentially used		
837	agents		
03/	One agent is a diluent, i.e., nonselective solvent or heat	anoaa	DESERVICE AND COLLEGETOMS
	exchange material	CROSS-	-REFERENCE ART COLLECTIONS
838	Resolution of feed into more		g
030	than two different components		CATALYST AND RECYCLE CONSIDERATIONS
839	Later agent disengages	900	.Rehabilitation of H acceptor
	earlier, e.g., decomplexing	901	.With recycle, rehabilitation, or
	agent, etc.	701	preservation of solvent,
840	Later agent is hydrocarbon		diluent, or mass action agent
841	H	902	Recycle of solvent and catalyst
842	HF and another fluoride	903	.With hydrocarbon recycle to
843	Ag		control synthesis reaction,
844	By interaction with monoolefin		e.g., by cooling, quenching,
845	Cu		etc.
846	Ammoniacal, e.g., Cu ammonium	904	.Catalyst rehabilitation by
	acetate (CAA), etc.		reversion from different
847	Triple-bond compound		compound
	separated	905	.By-product conversion to feed
848	Plural metal or nonhalide Cu	906	.Catalyst preservation or
0.40	compound-containing		manufacture (e.g., activation,
849	Cu halide with added material		etc.) before use
0.5.0	other than water	010	HEAT CONSIDERATIONS
850	Group VII or VIII transition	910	.Exploiting or conserving heat of
	<pre>metal-containing, e.g., Werner complex formation, etc.</pre>		quenching, reaction, or
851	Group III nontransition	911	regeneration .Introducing, maintaining, or
031	element-containing	711	removing heat by atypical
852	Al		procedure
853	Alkaline metal-containing	912	Molten material
854	Elemental metal, oxide, or	913	Electric
	hydroxide	914	Phase change, e.g.,
855	Metal-containing		evaporation, etc.
856	S containing		APPARATUS CONSIDERATIONS
857	S dioxide, sulfolane, or	920	.Using apparatus of recited
	sulfolene		composition
858	Sulfuric acid	921	.Using recited apparatus
859	Interaction with tertiary		structure
	olefin	922	Reactor fluid manipulating
860	N-containing		device
861	Ammonia	923	At reactor inlet
862	Carbonyl moiety-containing	924	Reactor shape or disposition
863	Interaction with aromatic	925	Dimension or proportion
864	Organic agent	926	Plurality or verticality
865	Heterocyclic or polymeric	0.2.0	SPECIAL CHEMICAL CONSIDERATIONS
866	Acid, anhydride, ester or	930	.Process including synthesis of
0.67	ether	931	nonhydrocarbon intermediate
867	Hydrocarbon	931	Metal-, Si-, B-, or P-
868 899	Inorganic O-containing agent MISCELLANEOUS PROCESS, E.G.,		<pre>containing, e.g., Grignard, etc.</pre>
ひラブ	INDETERMINATE MODIFICATION OF	932	Carboxyl-containing, e.g.,
	A PROPERTY, STORAGE,	, , ,	acid, etc.
	TRANSPORTATION, ETC.	933	N-containing
		934	Chalcogen-containing
		<del>-</del>	

935	Halogen-containing
940	.Opening of hydrocarbon ring
941	.Isotope exchange process
942	.Production of carbonium ion or
	hydrocarbon free-radical
943	.Synthesis from methane or
	inorganic carbon source, e.g.,
	coal, etc.
944	.Radiation-resistant composition
945	.Product is drying oil
946	.Product is waxy polymer
947	.Terpene manufacture or recovery
	MISCELLANEOUS CONSIDERATIONS
950	.Prevention or removal of
	corrosion or solid deposits
951	.Reaction start-up procedure
952	.Reaction stopping or retarding
953	.Pulsed, sonic, or plasma process
954	.Exploiting mass-action
	phenomenon
955	.Specified mixing procedure
956	.Condition-responsive control and
	related procedures in
	alicyclic synthesis and
	purification

## FOREIGN ART COLLECTIONS

FOR CLASS-RELATED FOREIGN DOCUMENTS